



# Cordless Rivet Gun DRV150 / DRV250



## Easy plate joint



**18V**  
LITHIUM-ION

### DRV150

[Compatible rivet diameter]

Ø2.4mm / 3.2mm /  
4.0mm / 4.8mm



### DRV250

[Compatible rivet diameter]

Ø4.8mm / 6.0mm / 6.4mm  
Ø2.4mm / 3.2mm / 4.0mm  
(use with optional Nose piece, Jaw  
pusher and pipe)






**High speed riveting as same  
as pneumatic tools.**







**Insert rivet into the hole.**



**Pull trigger to tighten the rivet.**



### Jaw case designed to enable tight space operation

The short center height allows for tight space operation such as close-to-wall riveting.

Center height

**26 mm**



### Rivet holding mechanism



- Once a rivet is installed, it is held in place and do not drop out even when the tool is directed downward.
- No need for holding the rivet by hand even in vertical down application

### Twin LED job light

With pre-glow and afterglow functions



### Transparent container for spent mandrels\*

The amount of spent mandrels\* can be checked.  
\* mandrel shaft broken off from a tightened rivet



### Compatible with various sizes of blind rivets

A wide range of nose pieces and jaw pushers allow for tightening various sizes of blind rivets.

#### DRV150

[Compatible rivet diameter]

Ø2.4mm / 3.2mm /  
4.0mm / 4.8mm

#### DRV250

[Compatible rivet diameter]

Ø4.8mm / 6.0mm / 6.4mm

Ø2.4mm / 3.2mm / 4.0mm

(use with optional Nose piece, Jaw pusher and pipe)



**Work amount on a full battery charge (approx)**


**2,300 rivets**

Model: DRV150  
Mandrel diameter: Ø4.8mm  
Battery: BL1850B ( 5.0Ah )

**DRV250 : 2,000 rivets ( 5.0Ah )**



## Accessories



Model		DRV150 / DRV250				DRV250			
Rivet	Size	Ø2.4 (3/32")	Ø3.2 (1/8")	Ø4.0 (5/32")	Ø4.8 (3/16")	Ø4.0 (5/32")	Ø4.8 (3/16")	Ø6.0 (3/16")	Ø6.4 (3/16")
	Mandrel diameter: mm	Ø1.4-1.6	Ø1.8-2.1	Ø2.2-2.6	Ø2.6-3.2	Ø2.2-2.6	Ø2.6-3.2	Ø3.1-3.5	Ø3.5-3.9
Nose piece and Jaw pusher set *with pipe	Size	Ø2.4 (3/32")	Ø3.2 (1/8")	Ø4.0 (5/32")	Ø4.8 (3/16")	Ø4.0 (5/32")	Ø4.8 (3/16")	Ø6.0 (3/16")	Ø6.4 (3/16")
	Part No.	<b>*199729-4</b>	<b>*199728-6</b>	<b>191C04-2</b>	<b>191C03-4</b>	<b>*191F80-4</b>	<b>*191F79-9</b>	<b>*199725-2</b>	<b>*191F78-1</b>
Jaw set (3pcs set)	Size	4.8				6.4			
	Part No.	<b>199731-7</b>				<b>199730-9</b>			
Nose piece Assy		<b>127230-9</b>	<b>127229-4</b>	<b>127228-6</b>	<b>127225-2</b>	<b>127228-6</b>	<b>127225-2</b>	<b>127224-4</b>	<b>127223-6</b>
Jaw pusher Assy	Color / Size	Gray / 1.9	Black / 2.5	Gray / 3.1	Black / 3.6	Gray / 3.1	Black / 3.6	Gray / 4.0	Black / 4.5
	Part No.	<b>127478-3</b>	<b>127477-5</b>	<b>127476-7</b>	<b>127475-9</b>	<b>127476-7</b>	<b>127475-9</b>	<b>127474-1</b>	<b>127473-3</b>
Pipe	Color / Size	Silver / 2.3	Black / 2.8	Pipe is not necessary for operation. (DRV150)		Silver / 3.5	Silver / 4.2		Silver / 4.6
	Part No.	<b>162747-5</b>	<b>162746-7</b>			<b>162745-9</b>	<b>162744-1</b>		<b>162743-3</b>

### Tool Protector

	For Nose	For Motor	Set
DRV150	422572-9	422571-1	191G65-6
DRV250	422573-7		191G66-4

Nose

Motor



### Battery Protector

BL1815N / BL1820B  
459937-2



BL1830B / BL1840B /  
BL1850B / BL1860B  
459938-0



### Grease set (5g)

Jaw grease for maintenance  
(Grease to jaw case & jaws)  
Molybdenum disulfide grease  
191D57-7



### Hook

281012-4



18V LITHIUM-ION	DC18RC DC18RD		DC18SD
	<b>BL1815N</b> 1.5Ah	<b>15 min</b>	<b>30 min</b>
<b>BL1820B</b> 2.0Ah	<b>24 min</b>	<b>45 min</b>	
<b>BL1830B</b> 3.0Ah	<b>22 min</b>	<b>60 min</b>	
<b>BL1840B</b> 4.0Ah	<b>36 min</b>	<b>90 min</b>	
<b>BL1850B</b> 5.0Ah	<b>45 min</b>	<b>110 min</b>	
<b>BL1860B</b> 6.0Ah	<b>55 min</b>	<b>130 min</b>	

### Cordless Rivet Gun

#### DRV150 / DRV250

	DRV150	DRV250
Brake		
Built-in Job Light		
Carrying Case		
<b>Max pulling force</b>	10 kN	20 kN
<b>Length of Stroke</b>	25 mm (1")	30 mm (1-3/16")
<b>Center height</b>	26 mm (1")	26 mm (1")
<b>Sound Pressure Level</b>	75 dB(A)	74 dB(A)
<b>Vibration Level</b>	2.5 m/s <sup>2</sup> or less	2.5 m/s <sup>2</sup> or less
<b>Dimensions (L x W x H)</b>	w/ BL1815N / BL1820B: 310x80x270 mm (12-1/4"x3-1/8"x10-5/8") w/ BL1830B / BL1840B / BL1850B / BL1860B: 310x80x287 mm (12-1/4"x3-1/8"x11-1/4")	w/ BL1815N / BL1820B: 320x80x270 mm (12-5/8"x3-1/8"x10-5/8") w/ BL1830B / BL1840B / BL1850B / BL1860B: 320x80x287 mm (12-5/8"x3-1/8"x11-1/4")
<b>Net weight</b>	1.9 - 2.2 kg (4.2 - 4.9 lbs.)	2.1 - 2.4 kg (4.6 - 5.3 lbs.)

**Standard Equipment:** DRV150: Belt Clip, Battery, Charger, Accessory set for 2.4, 3.2, 4.0A, Grease set  
DRV250: Belt Clip, Battery, Charger, Accessory set for 4.8B, 6.0, Grease set

The weight may differ depending on the attachment(s), including the battery cartridge. The lightest and heaviest combination, according to EPTA-Procedure 01/2014, are shown in the table.  
Items of standard equipment and specifications may vary by country or area.

# Makita Corporation

3-11-8 Sumiyoshi-cho, Anjo, Aichi, 446-8502 Japan

PRINTED IN JAPAN 201911